

## Contents of Applied Physics B 49

This listing presents the papers in alphabetical order of the first author. The author index that follows covers Applied Physics A and B, and is presented in tabular form. In the first column the names are listed in alphabetical order. The second column together with the third one contains the bibliographic data necessary to locate the paper. The issue is specified by the number separated from the volume number by a slash. The fourth column states the major PACS number so that the topic of the paper can be inferred by consulting the PACS listing on the left:

### Photophysics and Laser Chemistry

- Al-Dhahir R.K., Dyer P.E., Sidhu J., Foulkes-Williams C., Oldershaw G.A.:  
Dual excimer and CO<sub>2</sub> laser etching studies of polyethylene Terephthalate.  
Appl. Phys. B 49/5, 435-440 (1989) PACS: 82.50M 42.60
- Arneson J., Dafu C., Gnepf S., Kneubühl F.K.:  
Multimode coupling and nonlinear-gain effects in distributed and helical feedback gas lasers.  
Appl. Phys. B 49/1, 1-28 (1989) PACS: 45.55E 42.60
- Au L.B., Solymar L.:  
Transients in photorefractive two-wave mixing: A numerical study.  
Appl. Phys. B 49/4, 339-342 (1989) PACS: 42.80 42.40 42.65
- Aussenegg F.R., Leitner A., Pedarnig J.D.:  
Influence of thermal treatment on second-harmonic generation in silver island films.  
Appl. Phys. B 49/3, 279-281 (1989) PACS: 78.65 42.65
- Bachor H.-A., Fisk P.T.H.:  
Quantum noise - a limit in photodetection.  
Appl. Phys. B 49/4, 291-300 (1989) PACS: 42.50 07.62
- Baev V.M., Eschner J., Weiler A.:  
Intracavity spectroscopy with modulated multimode lasers.  
Appl. Phys. B 49/4, 315-322 (1989) PACS: 32.70J 42.65
- Baklanov E.V., Chebotayev V.P., Staroselsky M.P.:  
New nonlinear resonances in a gas in the presence of a strong optical field.  
Appl. Phys. B 49/2, 163-167 (1989) PACS: 32.00
- Balykin V.I.:  
On the possibility of velocity monochromatization of atomic beams below recoil velocity.  
Appl. Phys. B 49/4, 383-388 (1989) PACS: 42.65K
- Barr J.R.M., Hughes D.W.:  
Coupled cavity modelocking of a Nd:YAG laser using second-harmonic generation.  
Appl. Phys. B 49/4, 323-325 (1989) PACS: 42.60D 42.65
- Bazhenov V.Yu., Vlasov M.V., Soskin M.S., Taranenko V.B.:  
Dynamics of laser-induced bubble and free-surface oscillations in an absorbing liquid.  
Appl. Phys. B 49/5, 485-489 (1989) PACS: 42.65J 47.20 47.55
- Becker T., Rinkliff R.-H., Steudel A.:  
Superradiant transitions between high-lying levels of Sr in an external electric field.  
Appl. Phys. B 49/3, 257-262 (1989) PACS: 32.60 42.50
- Beuermann Th., Stuke M.:  
Tunable UV laser photolysis of organometallics with product detection by laser mass spectroscopy: Trimethylaluminum.  
Appl. Phys. B 49/2, 145-148 (1989) PACS: 81.15 82.50
- Binh L.N., Dai X., Ja Y.H.:  
Laser-induced self-phase modulation in polymeric film.  
Appl. Phys. B 49/4, 393-396 (1989) PACS: 42.65 42.80
- Candelier V., Giordano V., Hamel A., Théobald G., Cérez P., Audoin C.:  
Frequency stability of an optically pumped cesium beam frequency standard.  
Appl. Phys. B 49/4, 365-370 (1989) PACS: 32.80B 35.10 35.80
- Chebotayev V.F., Ulybin V.A.:  
Doppler-free resonances of the second-order Raman scattering.  
Appl. Phys. B 49/4, 361-364 (1989) PACS: 42.50 42.62
- Clark B.K., Luh W.T., Huennekens J.:  
NaK 2<sup>1</sup>Σ<sup>+</sup> → 1<sup>1</sup>Σ<sup>+</sup> band optically pumped laser near 1.02 μm.  
Appl. Phys. B 49/2, 155-161 (1989) PACS: 42.55H 33.50
- Costela A., Muñoz J.M., Douhal A., Figueroa J.M., Acuña A.U.:  
Experimental test of a four-level kinetic model for excited state intramolecular proton transfer dye lasers.  
Appl. Phys. B 49/6, 545-552 (1989) PACS: 33.50 42.55
- Dam N., Reuss J.:  
Characterization of an ethylene free jet.  
Appl. Phys. B 49/1, 39-47 (1989) PACS: 34.50E 47.55
- Danailov M.B., Christov I.P., Michailov N.I.:  
Image transfer by modulation of short light pulses.  
Appl. Phys. B 49/4, 371-375 (1989) PACS: 42.30V 42.30 42.60
- Das T.K., Singh K.:  
Phase conjugation via unequal amplitude multiple gratings in photorefractives: A simple shooting method for numerical solution.  
Appl. Phys. B 49/6, 557-564 (1989) PACS: 42.65 78.20 42.40
- Dinev S.G., Hadjichristov G.B., Stefanov I.L.:  
Interference effects between Raman and parametric stimulated emission.  
Appl. Phys. B 49/6, 521-525 (1989) PACS: 32.00 42.65
- Dong S.Y., Wang G., Wang W., Zhang Z., Zheng J.:  
The role of cluster in surface-enhanced Raman scattering (SERS).  
Appl. Phys. B 49/6, 553-556 (1989) PACS: 68.45A
- Erbach D.R., Solymar L., Takacs J., Wilson T.:  
Higher diffracted orders in a BSO crystal: An experimental study of transients.  
Appl. Phys. B 49/5, 431-433 (1989) PACS: 42.40 42.65 42.80
- Ernst W.E., Kändler J.:  
Molecular-beam spectroscopy of high-temperature species with narrow-band dye lasers.  
Appl. Phys. B 49/3, 227-237 (1989) PACS: 35.80 33.80
- Etchepare J., Grillon G., Arabat J.:  
Polarization effects in femtosecond time-resolved coherent scattering from molecules in liquids.  
Appl. Phys. B 49/5, 425-429 (1989) PACS: 33.20 42.65
- Freisinger B., Kogelschatz U., Schäfer J.H., Uhlenbusch J., Viöl W.:  
Ozone production in oxygen by means of F<sub>2</sub>-laser irradiation at λ = 157.6 nm.  
Appl. Phys. B 49/2, 121-129 (1989) PACS: 33.80 82.50
- Fuhrberg P., Frölich D., Litfin G.:  
Temporal evolution of the emission spectra of color center lasers.  
Appl. Phys. B 49/3, 205-209 (1989) PACS: 42.55B 42.55
- Fuhrmann W., Demtröder W.:  
A continuously tunable GaAs diode laser with an external resonator.  
Appl. Phys. B 49/1, 29-32 (1989) PACS: 42.55 42.60
- Giroux L., Back M.H., Back R.A.:  
The absorption of pulsed CO<sub>2</sub>-laser radiation by ethylene at total pressures from 25 to 3000 Torr.  
Appl. Phys. B 49/4, 307-313 (1989) PACS: 33.80K 42.60
- Grimm R., Mlyněk J.:  
The effect of resonant light pressure in saturation spectroscopy.  
Appl. Phys. B 49/3 179-189 (1989) PACS: 32.70J 42.50 42.65
- Heist P., Rudolph W., Petrov V.:  
Combined self-phase modulation and amplification of femtosecond light pulses.  
Appl. Phys. B 49/2, 113-119 (1989) PACS: 42.55M 42.60
- Holzappel W., Settgest W.:  
Precise force measurement over 6 decades applying the resonator-internal photoelastic effect.  
Appl. Phys. B 49/2, 169-172 (1989) PACS: 06.00 42.60 42.80
- Husinsky W., Mitterer S., Grabner G., Baumgartner I.:  
Photoablation by UV and visible laser radiation of native and doped biological tissue.  
Appl. Phys. B 49/5, 463-467 (1989) PACS: 87.55H 82.50 87.15 87.50
- Imasaka T., Kawasaki S., Ishibashi N.:  
Generation of more than 40 laser emission lines from the ultraviolet to the visible regions by two-color stimulated Raman effect.  
Appl. Phys. B 49/4, 389-392 (1989) PACS: 42.65 51.70
- Jánosy M., Rozsa K., Apai P., Mezei P., Horváth P., Csillag L., Kroo N.:  
Pulsed 469.4 nm hollow cathode He-Kr laser.  
Appl. Phys. B 49/4, 343-347 (1989) PACS: 42.55F 42.60

- Jia Q.-k.:  
An analysis of the free-electron laser small-signal gain in a resonator Gaussian mode.  
Appl. Phys. B 49/6, 541-544 (1989) PACS:42.55 42.60
- Karve R.S., Nayak A.K., Sarkar S.K., Rama Rao K.V.S., Mittal J.P.:  
Selectivity enhancement in tritium isotope separation by multiple frequency multiple photon dissociation of the  $\text{CTF}_3/\text{CHF}_3$  system.  
Appl. Phys. B 49/6, 571-576 (1989) PACS:82.50 33.00
- Kaschke M., Koch C.:  
Calculation of nonlinear optical polarization and phase matching in biaxial crystals.  
Appl. Phys. B 49/5, 419-423 (1989) PACS:42.65
- Kerr G.A., Hough J.:  
Coherent addition of laser oscillators for use in gravitational wave antennas.  
Appl. Phys. B 49/5, 491-495 (1989) PACS:04.80 07.60 42.60
- Kim Y.P., Hutchinson M.H.R.:  
Intensity-induced nonlinear effects in UV window materials.  
Appl. Phys. B 49/5, 469-478 (1989) PACS:42.65 42.70 78.20
- Kocsis G., Bakos J.S., Ignácz P.N.:  
Experimental comparison of blow-off methods for plasma-density measurements.  
Appl. Phys. B 49/5, 415-418 (1989) PACS:52.40M 52.70
- Krausz F., Wintner E.:  
Atmospheric influences in optical third-harmonic generation experiments.  
Appl. Phys. B 49/5, 479-483 (1989) PACS:42.65K
- Kröll S., Aldén M., Bengtsson P.-E., Löfström C.:  
An evaluation of precision and systematic errors in vibrational CARS thermometry.  
Appl. Phys. B 49/5, 445-453 (1989) PACS:42.65 78.30
- Kummrow A., Eichler H.J.:  
Absorption bistability in evaporated  $\text{ZnSe}_x$  thin films.  
Appl. Phys. B 49/6, 497-502 (1989) PACS:42.65P
- Lago A., Woehl Jr. G., Riva R.:  
A pulsed dye laser with grazing incidence and folded cavity.  
Appl. Phys. B 49/1, 73-76 (1989) PACS:42.60D
- Lange B., Noda M., Marowsky G.:  
High-speed  $\text{N}_2$ -CARS-thermometry.  
Appl. Phys. B 49/1, 33-38 (1989) PACS:42.65
- Laptev V.B., Ryabov E.A., Tumanova L.M.:  
Laser separation of oxygen isotopes by IR multiphoton dissociation of  $(\text{CH}_3)_2\text{O}$ .  
Appl. Phys. B 49/1, 77-83 (1989) PACS:82.50 33.00 35.00
- Lo D.:  
The role of halogen donors in discharge instability of rare-gas halide excimer lasers.  
Appl. Phys. B 49/6, 535-540 (1989) PACS:34.80 42.55 52.80
- Luh W.T., Li Y., Huennkens J.:  
830 nm emission in sodium vapor.  
Appl. Phys. B 49/4, 349-359 (1989) PACS:42.65K
- Lüpke G., Marowsky G., Steinhoff R.:  
Phase-controlled nonlinear interferometry.  
Appl. Phys. B 49/3, 283-289 (1989) PACS:42.65
- Ma P.H., Sugita K., Arai S.:  
Production of highly concentrated  $^{13}\text{C}$  by continuous two-stage IRMPD.  $\text{CBr}_3\text{F}_2/\text{HI}$ ,  $\text{CCl}_3\text{F}_2/\text{HI}$  and  $\text{CBrClF}_2/\text{HI}$  mixtures.  
Appl. Phys. B 49/6, 503-512 (1989) PACS:82.50
- Meier B., Penzkofer A.:  
Determination of nonlinear refractive indices by external self-focusing.  
Appl. Phys. B 49/6, 513-519 (1989) PACS:42.65J
- Nalik J., Lange W., Mitschke F.:  
Complexity out of a simple structure: The intricate multistable behaviour of an optical resonator filled with sodium atoms.  
Appl. Phys. B 49/3, 191-199 (1989) PACS:42.65P
- Nayak A.K., Karve R.S., Sarkar S.K., Rama Rao K.V.S., Mittal J.P.:  
T/D isotope selectivity in  $\text{CO}_2$  laser induced multiple-frequency multiphoton dissociation of trifluoromethane-T.  
Appl. Phys. B 49/2, 139-143 (1989) PACS:82.50 33.00
- Neckel H., Wolfrum J.:  
IR diode laser measurements of the  $\text{NH}_3(\nu_2)$  band at different temperatures.  
Appl. Phys. B 49/2, 85-89 (1989) PACS:33.35
- Nicola S. de, Kaplan A.E., Martellucci S., Mormile P., Pierattini G., Quartieri J.:  
Stable hysteretic reflection of light at a nonlinear interface.  
Appl. Phys. B 49/5, 441-444 (1989) PACS:42.10F 42.60 46.65 42.80
- O'Neil C., Galarneau P., Denariez-Roberge M.:  
The effect of the relative position of the bandgap with respect to laser wavelength on the behaviour of DFWM in semiconductor-doped glasses.  
Appl. Phys. B 49/4, 327-330 (1989) PACS:78.20 42.70
- Ogawa T.:  
Two unstable oscillations in the multimode laser with modulated inversion.  
Appl. Phys. B 49/5, 397-407 (1989) PACS:42.50T 42.55 05.45
- Olafsson A., Hammerich M., Bülow J., Henningsen J.:  
Photoacoustic detection of  $\text{NH}_3$  in power plant emission with a  $\text{CO}_2$  laser.  
Appl. Phys. B 49/2, 91-97 (1989) PACS:07.65G 42.55 86.70 86.70
- Otis C.E.:  
Detection of neutral products formed during excimer laser ablation of polyimide by UV and VUV laser photoionization/mass spectrometry.  
Appl. Phys. B 49/5, 455-461 (1989) PACS:07.75 79.20 82.80
- Przybylski M., Otto B., Gerhardt H.:  
Spectral purity of pulsed dye lasers.  
Appl. Phys. B 49/3, 201-203 PACS:42.55M 42.60
- Radloff W., Hohmann H., Ritze H.-H., Paul R.:  
Excimer laser photolysis of molybdenum hexacarbonyl with buffer gas.  
Appl. Phys. B 49/4, 301-305 (1989) PACS:82.50 81.15
- Romano V., Zweig A.D., Frenz M., Weber H.P.:  
Time-resolved thermal microscopy with fluorescent films.  
Appl. Phys. B 49/6, 527-533 (1989) PACS:07.20n 42.30 87.60
- Rotman S.R.:  
Ambiguities in the analysis of non-radiative energy transfer data in solid-state laser materials.  
Appl. Phys. B 49/1, 59-64 (1989) PACS:42.55N
- Sankey J.D., Mandej A.A.:  
The production of ions for single-ion traps.  
Appl. Phys. B 49/1, 69-72 (1989) PACS:34.50 35.80
- Schulz R., Kuckartz M., Harde H.:  
Wavelength tunable subpicosecond pulse generation with a fiber grating Raman laser.  
Appl. Phys. B 49/3, 263-268 (1989) PACS:42.80M 42.65 42.70
- Siese M., Tiemann E.:  
Combination of Doppler-free polarization spectroscopy and magnetic rotation for the example of IBr.  
Appl. Phys. B 49/3, 245-250 (1989) PACS:33.20K 33.45 07.65
- Speiser S.:  
Observation of laser-induced off-resonance intermolecular electronic energy transfer.  
Appl. Phys. B 49/2, 109-112 (1989) PACS:33.00 42.65 42.70
- Stange H., Petermann K., Huber G., Duczynski E.W.:  
Continuous wave 1.6  $\mu\text{m}$  laser action in Er doped garnets at room temperature.  
Appl. Phys. B 49/3, 269-273 (1989) PACS:42.55R 78.45 78.55
- Steiner I., Enders V., Elsner F., Neuhauser W., Toschek P.E., Blatt R., Helmcke J.:  
A dye ring-laser spectrometer for precision spectroscopy.  
Appl. Phys. B 49/3, 251-256 (1989) PACS:42.50 42.60
- Steyer M., Stankov K.A., Mizoguchi H., Ouyang B., Schäfer F.P.:  
Compact, wide aperture X-ray preionized XeCl laser with high specific optical power.  
Appl. Phys. B 49/4, 331-337 (1989) PACS:42.55G 42.60 52.80
- Szarmáti S., Kühnle G., Jasny J., Schäfer F.P.:  
KrF laser system with corrected pulse front and compressed pulse duration.  
Appl. Phys. B 49/3, 239-244 (1989) PACS:42.60 42.55
- Szczepanski P., Arneson J., Kneubühl F.K.:  
Energy theory of waveguide distributed feedback gas lasers.  
Appl. Phys. B 49/1, 49-57 (1989) PACS:42.60B 42.60 42.80
- Telle H.R.:  
Narrow linewidth laser diodes with broad continuous tuning range.  
Appl. Phys. B 49/3, 217-226 (1989) PACS:42.55P 42.60
- Tervonen E., Turunen J., Friberg A.T.:  
Transverse laser-mode structure determination from spatial coherence measurements: Experimental results.  
Appl. Phys. B 49/5, 409-414 (1989) PACS:42.60 42.10 42.50
- Vainer Yu.G., Gruzdev N.V., Puzetky A.A., Sil'kis E.G., Titov V.D.:  
Resonant Raman scattering of vibrationally highly excited supersonic-jet-cooled  $\text{SO}_2$  molecules.  
Appl. Phys. B 49/2, 131-137 (1989) PACS:33.20F 33.50 34.30
- Wang Y., Lin B., Qian Y.:  
Spectral structure of the 627.8 nm gold vapor laser line.  
Appl. Phys. B 49/2, 149-153 (1989) PACS:32.70J 42.55

Wazen P., Bourdet G.L.:

Experimental investigation of the MIR optically pumped ammonia bidirectional ring laser.

Appl. Phys. B 49/4, 377-381 (1989) PACS:42.55 42.60

Wegner T., Petermann K.:

Excited state absorption of  $Ti^{3+}:YAlO_3$ .

Appl. Phys. B 49/3, 275-278 (1989) PACS:42.55R 78.40 78.55

Weiss C.O., Klische W., Abraham N.B., Hübner U.:

Comparison of  $NH_3$  laser dynamics with the extended Lorenz model.

Appl. Phys. B 49/3, 211-215 (1989) PACS:42.50T 05.45

Wellegehausen B., Hube M., Jin F.:

Investigations on laser plasma soft X-ray sources generated with low energy laser systems.

Appl. Phys. B 49/3, 173-178 (1989) PACS:52.50J 42.55

Werle P., Slemr F., Gehrtz M., Bräuchle C.:

Quantum-limited FM-spectroscopy with a lead-salt diode laser.

Appl. Phys. B 49/2, 99-108 (1989) PACS:07.65

Zheludev N.I., Ruddock L.S., Illingworth R.:

Intensity dependence of thermal nonlinear optical activity in crystals.

Appl. Phys. B 49/1, 65-67 (1989) PACS:42.65 42.70